

ANALYTICAL STUDY ON SIMPLY SUPPORTED RECTANGULAR SLAB WITH OPENING

DANIEL LEE KIM TEE



UNIVERSITI MALAYSIA SARAWAK

2003

TA
633
L477
2003

**ANALYTICAL STUDY ON SIMPLY SUPPORTED
RECTANGULAR SLAB WITH OPENING**

DANIEL LEE KIM TEE



**CIVIL ENGINEERING PROGRAM
FACULTY OF ENGINEERING
UNIVERSITY MALAYSIA SARAWAK**

2003

BORANG PENYERAHAN TESIS

Judul: Analytical Study On Simly Supported Rectangulan
Slab With Opening.

SESI PENGAJIAN:

Saya DANIEL LEE KIM TEE
(HURUF BESAR)

mengaku membenarkan tesis ini disimpan di Pusat Khidmat Maklumat Akademik, Universiti Malaysia Sarawak dengan syarat-syarat kegunaan seperti berikut:

1. Hakmilik kertas projek adalah di bawah nama penulis melainkan penulisan sebagai projek bersama dan dibiayai oleh UNIMAS, hakmiliknya adalah kepunyaan UNIMAS.
2. Naskhah salinan di dalam bentuk kertas atau mikro hanya boleh dibuat dengan kebenaran bertulis daripada penulis.
3. Pusat Khidmat Maklumat Akademik, UNIMAS dibenarkan membuat salinan untuk pengajian mereka.
4. Kertas projek hanya boleh diterbitkan dengan kebenaran penulis. Bayaran royalti adalah mengikut kadar yang dipersetujui kelak.
5. * Saya membenarkan/~~tidak membenarkan~~ Perpustakaan membuat salinan kertas projek ini sebagai bahan pertukaran di antara institusi pengajian tinggi.
6. ** Sila tandakan (3)

☐ SULIT


(Mengandungi maklumat yang berdarjah keselamatan atau kepentingan Malaysia seperti yang termaktub di dalam AKTA RAHSIA RASMI 1972).

☐ TERHAD

(Mengandungi maklumat TERHAD yang telah ditentukan oleh organisasi/ badan di mana penyelidikan dijalankan).

☒ TIDAK TERHAD


(TANDATANGAN PENULIS)

Disahkan oleh

(TANDATANGAN PENYELIA)

Alamat tetap: MAA, Lot 788,
Bintang Jaya Commercial Centre,
98000 Miri, Swak.

Dr. Ng Chee Khorn
(Nama Penyelia)

Tarikh: 19/3/03

Tarikh: 30/3/2003

CATATAN * Potong yang tidak berkenaan.
** Jika Kertas Projek ini SULIT atau TERHAD, sila lampirkan surat daripada pihak berkuasa/ organisasi berkenaan dengan menyertakan sekali tempoh kertas projek. Ini perlu dikelaskan sebagai SULIT atau TERHAD.

**ANALYTICAL STUDY ON SIMPLY SUPPORTED
RECTANGULAR SLAB WITH OPENING**



DANIEL LEE KIM TEE

**SUBMITTED IN PARTIAL FULFILLMENT OF THE
REQUIREMENT FOR THE BACHELOR OF ENGINEERING
(CIVIL ENGINEERING) 2003**

**CIVIL ENGINEERING PROGRAM
FACULTY OF ENGINEERING
UNIVERSITY MALAYSIA SARAWAK**

APPROVAL SHEET

This Final Year Project Report entitled "ANALYTICAL STUDY ON SIMPLY SUPPORTED RECTANGULAR SLAB WITH OPENING" prepared and submitted by DANIEL LEE KIM TEE in partial fulfillment of the requirement for the Bachelor of Engineering (Civil) is hereby accepted.



Date: 20/3/2003

Dr. NG CHEE KHOON

Project Supervisor

Civil Engineering Program

Faculty of Engineering, UNIMAS



Date: 19/3/03

DANIEL LEE KIM TEE

Author

Civil Engineering Program

Faculty of Engineering, UNIMAS

ACKNOWLEDGEMENT

I owe much to my Final Year Project supervisor, Dr Ng Chee Khoon for his valuable time in guiding me from the commence to the end of this project. My thanks also go to UNIMAS lectures who guided me in the process of pursuing engineering knowledge and skills along my Bachelor degree course. The engineering knowledge and skills I gained have been fully utilized in the preparation of this project.

Finally, I owe many thanks to my family for their constant support and encouragement.

ABSTRACT

Reinforced concrete slabs are used to provide flat, useful surfaces and commonly appear in floors, roofs and deck of bridge. Many slabs exist in more complex cases that do not meet the constraints of elasticity-based method as a result of shape, support conditions or the presence of openings. Then elasticity-based method is not applicable in the analysis of slab with opening. But limit analysis or plastic analysis is an alternative to treat this problem. So yield line analysis that based on limit analysis has been introduced to analyze the slab with opening.

This project involves analytical study on simply supported rectangular slabs with opening by using yield line analysis based on limit analysis. Yield line analysis is utilized to determine the internal and external work done on slab. By equating internal and external work done, relation between applied loading per unit area and ultimate resisting load can be obtained. The procedures stated above applicable to both cases either for ordinary rectangular slab and rectangular slab with opening. Then the effect on load carrying capacity of slab at different dimensions with varying size of opening can be observed.

For the purpose of time saving and accuracy, MathCAD program has been utilized in this project to assist in obtaining values of load carrying capacity at various ratios of slab and opening dimension.

ABSTRAK

Papan konkrit yang diperkuatkan digunakan untuk membekalkan permukaan yang rata dan berguna. Ia biasa digunakan pada lantai, bumbung dan lantai jambatan.. Kebanyakan papan konkrit muncul dalam kes yang lebih kompleks dan tidak dapat memenuhi syarat-syarat penggunaan teori elastik atas sebab bentuk, keadaan penyokong atau kehadiran kekosongan pada papan. Jadi analisa elastik tidak sesuai dipergunakan pada papan konkrit yang mempunyai kekosongan. Akan tetapi analisa keplastikan merupakan satu alternatif untuk mengatasi masalah ini. Jadi teori garis lentur yang berasaskan analisa keplastikan telah dipergunakan untuk menganalisa papan konkrit yang kehadiran kekosongan.

Projek ini merangkumi pembelajaran secara analisa mengenai papan konkrit yang disokong secara ringkas dengan kehadiran kekosongan. Teori garis lentur telah digunakan untuk memperolehi kerja dalaman dan luaran pada papan konkrit. Dengan mempersamakan kerja dalaman dan luaran, satu perhubungan antara beban ditanggung pada satu unit luasan dan beban maksimum yang dapat dirintang dapat diperolehi. Prosidul yang dicatatkan seperti di atas dapat dipergunakan pada papan konkrit biasa dan papan konkrit yang mempunyai kekosongan. Jadi kesan pada keupayaan menanggung beban papan konkrit pada dimensi papan konkrit dan kekosongan yang berlainan dapat diperhatikan.

Untuk menjimatkan masa dan memperolehi hasil yang tepat, program MathCAD telah digunakan untuk menolong mendapatkan nilai-nilai keupayaan menanggung beban pada dimensi papan konkrit dan kekosongan yang berlainan.

TABLE OF CONTENT

ACKNOWLEDGEMENT	i
ABSTRACT	ii
ABSTRAK	iii
TABLE OF CONTENT	v
LIST OF FIGURE	viii
LIST OF TABLE	ix
LIST OF APPENDIX	ix
LIST OF NOTATION	x

CHAPTER ONE : INTRODUCTION

1.1 GENERAL	1
1.2 SIMPLY SUPPORTED RECTANGULAR SLAB	1
1.3 LIMIT ANALYSIS VS ELASTIC ANALYSIS	3
1.4 OBJECTIVE	3

CHAPTER TWO : LITERATURE REVIEW

2.1 GENERAL	4
2.2 ANALYSIS AND DESIGN OF A RECTANGULAR SLAB	5
2.3 YIELD LINE ANALYSIS	12
2.4 WORK DONE ON YIELD LINE	19

CHAPTER THREE : METHODOLOGY

3.1 GENERAL	21
3.2 DESIGN OF A RECTANGULAR SLAB	22
3.3 YIELD LINE ANALYSIS	24
3.4 CASE STUDY ON YIELD LINE ANALYSIS	37

CHAPTER FOUR : RESULT AND DISCUSSION

4.1 GENERAL	41
4.2 RESULT	41
4.3 DISCUSSION	44

**CHAPTER FIVE : CONCLUSION AND
RECOMMEDATION**

5.1 CONCLUSION	49
5.2 RECOMMEDATION	50

REFERENCE	51
-----------	----

APPENDIX A	52
------------	----

APPENDIX B	61
------------	----

APPENDIX C	70
------------	----

LIST OF FIGURES

Fig 1.1	Deflected shape of uniformly loaded one-way slab.	2
Fig 1.2	Two-way slab on simple edge supports.	2
Fig 2.1	Distribution of two-way action of rectangular slab that supported by beams.	5
Fig 2.2	Location of maximum moment.	6
Fig 2.3	Cracking pattern of slab under load.	12
Fig 2.4	The exact location of negative and positive yield lines.	14
Fig 2.5	Yield line at general angle to reinforcement.	16
Fig 2.6	Yield line pattern for square slab.	17
Fig 2.7	Virtual displacement for square slab.	19
Fig 3.1	Arrangement of steel reinforcement in a slab.	22
Fig 3.2	Yield line forms on ordinary rectangular slab.	25
Fig 3.3	Virtual displacement by diagonal yield line	
Fig 3.4	Existence of yield lines on a slab with an opening.	32
Fig 3.5	Panel "1" comprised of one rectangle and two triangles.	32
Fig 3.6	Panel "3" comprised of one rectangle and two triangles.	34
Fig 3.7	Virtual displacement by diagonal yield line.	35
Fig 3.8	Yield line pattern on an ordinary slab.	37
Fig 3.9	Yield line pattern for a slab with opening.	37
Fig 4.1	Effect on 3m x 3m slab load carrying capacity with varying size of opening.	46

Fig 4.2	Effect on slab with opening load carried capacity with varying ratio of L_y / L_x	47
Fig 4.3	Total load carried by slabs of various size of opening.	48

LIST OF TABLES

Table 3.1	Trial and error for finding most appropriate “a”.	30
Table 3.2	Values of w with ratios varied from $L_y / L_x = 1.0$ to $L_y / L_x = 2.0$.	31

LIST OF APPENDIX

Appendix A	Analysis and design of 3m x 3m slab.	52
Appendix B	Yield line analysis using MathCad worksheet.	61
Appendix C	Results obtained by yield line analysis.	70

LIST OF NOTATIONS

A_s	= Area of steel
$A_{s,req.}$	= Area of steel required
$A_{s,prov.}$	= Area of steel provided
b	= Width of slab
b'	= Distance of an opening from the edge of the slab
d	= Effective depth
d'	= Effective depth for compression reinforcement
f_{cu}	= Concrete characteristic strength
f_y	= Steel reinforcement characteristic strength
f_s	= Estimated design service stress
G_k	= Dead load
K	= Design constant
K'	= Reference for design constant
ℓ	= Length of the yield line
L_x	= Length on the shorter span of the slab
L_y	= Length on the longer span of the slab
L_{ox}	= Length of an opening in shorter span direction
L_{oy}	= Length of an opening in longer span direction
m	= Moment of resistant
m'	= Negative moment
m_N	= Moment on neutral axis
m_x	= Moment on short span

m_y	= Moment on long span
m_T	= Moment on T axis
Mult.	= Ultimate moment
Q_k	= Imposed load
v	= Nominal design shear stress
v_c	= Design ultimate shear stress
V	= Maximum shear at support
w	= Ultimate loading per unit area
w_{ult}	= Ultimate loading
Z	= Lever arm
θ	= Rotation in the yield line
δ	= Deflection on slab
α_{sx}	= Moment coefficient in short span
α_{sy}	= Moment coefficient in long span
β_b	= Ratio of moments after and before redistribution
γ_m	= Partial safety factor

CHAPTER 1

INTRODUCTION

1.1 GENERAL

Reinforced concrete slabs are among the most common structural elements. In reinforced concrete construction slabs are used to provide flat, useful surfaces. A reinforced concrete slab is a broad, flat plate, usually horizontal, with top and bottom surfaces parallel or nearly so. They can be used in floors, roofs and walls of buildings and as well as the deck of bridges. Generally slabs may be divided into two categories: beamless slabs and slabs supported on beams located on all sides of each panel or known as simply supported slab. Beamless slabs are described by generic terms flat plates and flat slabs.

1.2 SIMPLY SUPPORTED RECTANGULAR SLAB

A rectangular slab transfers loadings to its adjacent supports. The under loading simply supported rectangular slab will have one of the structural actions in major: one-way spanning and two-way spanning.

One-way spanning slab can be distinguished from two-way spanning slab by its cylindrical bending shape when loaded. Consider a rectangular slab that shown in Fig 1.1 that is simply supported along its two opposite long edges and free of any support along the two opposite short edges. If a uniformly distributed load is applied to the surface of the slab, the deflected shape will be as shown by solid lines. Curvatures, and consequently bending moments, are the same in all strips s spanning in the short direction between supported edges, whereas there is no curvature, hence no bending moment, in the long strips l parallel to the supported edges.




Fig 1.1 Deflected shape of uniformly loaded one-way slab.

Two-way spanning slab that shown in Fig 1.2 will bend into a dished surface when loaded. This means that at any point the slab is curved in both principal directions, and since bending moments are proportional to curvatures, moments also exist in both directions. It is convenient to think the two-way slab consisting of two sets of parallel strips, in each of the two directions, intersecting each other. Evidently, part of the load is carried by one set and transmitted to one pair of edge supports, and the remainder by the other.




Fig 1.2 Two-way slab on simple edge supports: (a) bending of center strip of slab; (b) grid model of slab.

1.3 LIMIT ANALYSIS VS ELASTIC ANALYSIS

Practically, many slabs exist in more complex cases that do not meet the constraints of elasticity-based method as a result of shape, support conditions, the presence of openings or loading condition. For example, slab panel shape can be triangular, circular or trapezoidal. Slabs also can be supported on two or three edges only. Besides slabs can be carrying concentrated loads or uniform loads. Slabs can have large opening. Then the elasticity-based method could not be utilized due to the restrictions. But limit analysis or plastic analysis provides a powerful and versatile tool for treating this problem.

Slabs typically have tensile steel ratios much lower than the balanced fracture value and consequently have large rotation capacity. Therefore it can be safely assumed that the necessary ductility is present. Yield line theory is one of the practical methods that have been developed and being utilized in this project for the plastic analysis of slabs.

1.4 OBJECTIVE

This project aims at studying simply supported rectangular slabs with opening by using yield line analysis. The studies and analysis carried out by utilizing the application of yield line analysis that based on limit analysis. Limit analysis is practically used to overcome the barrier of elastic analysis that restricting its application on the slabs with opening.

CHAPTER 2

LITERATURE REVIEW

2.1 GENERAL

Most concrete slabs are designed for moments found by methods that are based upon elastic theory. The actual proportioning of members is done by strength methods, with the recognition that inelastic section and member response would result upon overloading. Factored loads are used in the elastic analysis to find moments in slab, for example, after which the critical slab section is designed with the knowledge that the steel would be well into the yield range and the concrete stress distribution very nonlinear before final collapse. Although it can be shown to be both safe and conservative, this is clear that there is existence of an inconsistent approach or contradiction to the total analysis-design process.

Thus limit or plastic analysis of reinforced concrete was introduced. Limit analysis does not only eliminates the inconsistency of combining elastic analysis with inelastic design but also accounts for the reserve strength characteristic of most reinforced concrete structures and permits, within limits, an arbitrary readjustment of moments found by elastic analysis to arrive at design moment that permit more practical reinforcing arrangement.

Kong and Evans (1975) stressed that there are three important aims in reinforced concrete design. They have suggested that;

1. The structure must be safe, for society demands security in the structure it inhabits.
2. The structure must fulfill its intended purpose during its intended life span.

3. The structure must be economical with regards to the first cost and to maintenance costs; indeed, most decisions are implicitly or explicitly economic decision.

2.2 ANALYSIS AND DESIGN OF A RECTANGULAR SLAB

2.2.1 Slab Action

This section discusses on floor slabs supported at four edges in two-way spanning action as shown in Fig. 2.1. Since it is a rectangular slab, more than one-half of the load will be carried in the stiffer or shorter direction and less in the longer direction.




Fig 2.1 Distribution of two-way action of rectangular slab that supported by beams.

2.2.2 Analysis and Design of Two-way Spanning Slab

Referring to Fig 2.1, taking into account that the rectangular slab is simply supported at each edge and discontinuous at the edges. The design support does not have adequate provision either to resist torsion at corners or to prevent the corners from lifting are based on Clause 3.5.3.3 of Part 1 of BS8110 (1985). Based on the clause, it is defined that the equations for calculation of ultimate moment m_{sx} and m_{sy} are given as;

$$m_{sx} = \alpha_{sx} n L_x^2 \quad (2.1)$$

$$m_{sy} = \alpha_{sy} n L_y^2 \quad (2.2)$$

where α_{sx} and α_{sy} are moment coefficient of slab obtained from Table 3.14 of Part 1 of BS8110 (1985); n is the ultimate expressed in load per unit area defined as $n = 1.4 G_k + 1.6 Q_k$; and L_x and L_y are length of the edges in action in which it implies to shorter and longer span respectively.




Fig. 2.2 Location of maximum moment.

Referring to Fig 2.2, tension reinforcement can be designed based on Clause 3.4.4.4 of Part 1 of BS8110 (1985). The design of tension reinforcement of a slab is similar to design formulae for a rectangular beam. The following equations are based on simplified stress diagram in Figure 3.3 of Part 1 of BS8110 (1985).

Take K' as a reference for design constant in which it is expressed as;

$$K' = 0.156 \text{ if redistribution does not exceed 10\% or}$$

$$K' = 0.402 (\beta_b - 0.4) - 0.18(\beta_b - 0.4)^2 \text{ if redistribution exceeds 10\%}$$

The equation is given as;

$$K = \frac{M}{f_{cu} b d^2} \quad (2.3)$$

where K is the design constant, M is the ultimate moment per unit area, b is the width of the slab, d is the effective depth, f_{cu} is the concrete strength expressed in Newton per unit area (N / mm^2).

If $K < K'$, compression reinforcement is not required then,

$$\begin{aligned} \text{Leverarm, } Z &= d [0.5 + v (0.25 - K/0.9)] \\ &< 0.95d \end{aligned}$$

Therefore the steel required for reinforcement is stated as follow;

$$A_s = \frac{M}{0.87 f_y Z} \quad (2.4)$$

where A_s is the area of steel reinforcement; f_y is the strength of steel reinforcement in N / mm^2 ; Z is the lever arm.

If $K > K'$, compression reinforcement doubly reinforcement is required,

Similarly,

$$\text{Leverarm, } Z = d [0.5 + v (0.25 - K/0.9)] \\ < 0.95d$$

Therefore the total required steel reinforcement area is defined as;

$$A_s' = \frac{(K - K') f_{cu} b d^2}{0.87 f_y (d - d')} \quad (2.5)$$

where d is the effective depth for tension reinforcement and d' is the effective depth for compression reinforcement.

Then total steel area if compression reinforcement is required is;

$$A_s = \frac{M}{0.87 f_y Z} + A_s' \quad (2.6)$$

2.2.3 Shear Reinforcement

When shear stresses based on a normal loads is not critical, shear reinforcement for resisting shearing force is not required. The application of shear reinforcement is done when a thick slab is heavily loaded and the thickness exceeds 200mm. Checking for shear reinforcement is based on Clause 3.5.5 of Part 1 of BS8110(1985). Nominal design shear stress is defined as;

$$v = \frac{V}{b d} \quad (2.7)$$

Where V is the shear force due to design ultimate load or concentrated load.